

TOILETTRES

1. SHOWER GEL

	COMPONENTS	INCI NAME	% W/W
PHASE 1	ZETASOL LES 2/C	Sodium Coceth Sulfate	35.00
	BATADET S 20	Lauryl Hydroxysultaine	6.00
	AMPHOTENSID COX	Cocamidopropylamine Oxide	5.00
	PROTELAN 1430	Sodium Myristoyl Sarcosinate	4.00
	COSMACOL ELI	C12-13 Alkyl Lactate	2.00
	GENAMIN PQ 43	Polyquaternium-43	1.00
	WATER	Aqua	at 100.00
	Estr. KERNELS OF PLUM	Plum Seed Extract	10,00
	PCActive	Polyglyceryl-3 PCA	1.00
	TRIPLUS A	Trehalose, Prunus Domestica Fruit Extract, Resveratrol	1.00
	D-PANTENOL	Panthenol	0.80
	PRESERVANT and PARFUM	Preservant and Parfum	q.b.
PHASE 2	COSMEDIA GUAR	Hydroxypropyltrimonium Chloride	1.00
PHASE 3	GLUCAMATE LT	PEG-120 Methyl Glucose Trioleate, Propylene Glycol	1.00

METHOD OF PREPARATION

Weigh all the components of the phase 1 and shake.

Pre-disperse in a part of the total water phase 2.

Add to phase 2 phase 1 and shake.

When the mixture is homogeneous add phase 3 and shake

The formulation shown is a suggestion for the use of raw materials.
Is not your final formulation. We are not responsible of evidence is not satisfactory.

2. BUBBLE BATH

	COMPONENTS	INCI NAME	% W/W
PHASE 1	DEHYTON MC	Sodium Cocoamphoacetate	15.00
	AMPHOTENSID COX	Cocamidopropylamine Oxide	12.00
	AMPHOTENSID B4/C	Cocamidopropyl Betaine	7.00
	QUAFIN CT	Cetrimonium Chloride	5.00
	ANFOLIN CAPS	Cocamidopropyl Hydroxysultaine	5.00
	WATER	Aqua	at 100.00
	MERQUAT550	Polyquaternium-7	1.00
	PCActive	Polyglyceryl-3 PCA	1.00
	EDTA TETRA SODICO	Tetra sodium EDTA	0.10
PHASE 2	COSMEDIA GUAR	Hydroxypropyltrimonium Chloride	1.00
PHASE 3	GLUCAMATE LT	PEG-120 Methyl Glucose Trioleate, Propylene Glycol	1.00

METHOD OF PREPARATION

Weigh all the components of the phase 1 and shake.

Pre-disperse in a part of the total water phase 2.

Add to phase 2 phase 1 and shake.

When the mixture is homogeneous add phase 3 and shake.

The formulation shown is a suggestion for the use of raw materials.
Is not your final formulation. We are not responsible of evidence is not satisfactory.

3. INTIMATE CLEANSING

	COMPONENTS	INCI NAME	% W/W
PHASE 1	DEHYTON MC	Sodium Cocoamphoacetate	10.00
	PROTELAN 1430	Sodium Myristoyl Sarcosinate	10.00
	AMPHOTENSID B4/C	Cocamidopropyl Betaine	7.00
	PLANTACARE 2000 UP	Decyl Glucoside	5.00
	CETIOL HE	PEG-7 Glyceryl Cocoate	3.00
	WATER	Aqua	at 100.00
	PCActive	Polyglyceryl-3 PCA	1.00
	Estr. POPPY RED	Papaver Rhoeas Petal Extract (Propylene Glycol, Aqua, Papaver Petal Rhoeas)	0.30
	EDTA TETRA SODICO	Tetra sodium EDTA	0.10
PHASE 2	COSMEDIA GUAR	Hydroxypropyltrimonium Chloride	1.00
PHASE 3	GLUCAMATE LT	PEG-120 Methyl Glucose Trioleate, Propylene Glycol	q.b.

METHOD OF PREPARATION

Weigh all the components of the phase 1 and shake.

Pre-disperse in a part of the total water phase 2.

Add to phase 2 phase 1 and shake.

When the mixture is homogeneous add phase 3 and shake.

The formulation shown is a suggestion for the use of raw materials.
Is not your final formulation. We are not responsible of evidence is not satisfactory.

4. BODY BALM

	COMPONENTS	INCI NAME	% W/W
PHASE 1	PROLIX RB	Polyglyceryl-3 Rice Branate	4.00
	ECOROL 68/30 P	Cetearyl Alcohol	1.50
	OLIO DI JOJOBA	Simmondsia Chinensis (Jojoba) Seed Oil	1.00
	ABIL WAX 9801	Cetyl Dimethicone	0.50
	ALMOND OIL	Prunus Amygdalus Dulcis Oil	0.50
PHASE 2	WATER	Aqua	at 100.00
	QUAFIN CT	Cetrimonium Chloride	5.00
	DEHYTON MC	Sodium Cocoamphoacetate	5.00
	PCActive	Polyglyceryl-3 PCA	1.00
	UREA	Urea	1.00
	MERQUAT550	Polyquaternium-7	0.5
	EDTA TETRA SODICO	Tetra sodium EDTA	0.10
	ALLANTOIN	Allantoin	0.10
PHASE 3	Estr. GINSENG	Panax Ginseng Root Extract I	0.50
	Estr. GINKGO BILOBA	Ginkgo Biloba Extract	0.50
	GLUCAMATE LT	PEG-120 Methyl Glucose Trioleate, Propylene Glycol	q.b.
	PRESERVANT AND PARFUM	Preservant and Parfum	q.b.

METHOD OF PREPARATION

Weigh the components of phase 1 and heated to 75 ° C.

Weigh the components of phase 2 and heated to 75 ° C.

Add the phase 1 to phase 2 under stirring.

Homogenize for 1 minute.

Cool, stirring slowly, up to 35 ° C.

Add the components of phase 3, homogenised for 1 minute.

The formulation shown is a suggestion for the use of raw materials.

Is not your final formulation. We are not responsible of evidence is not satisfactory.

5. HAIR BALM

	COMPONENTS	INCI NAME	% W/W
PHASE 1	PROLIX RB	Polyglyceryl-3 Rice Branate	4.00
	GMS	Glyceryl Stearate	2.50
	ECOROL 68/30 P	Cetearyl Alcohol	1.50
	JOJOBA OIL	Simmondsia Chinensis (Jojoba) Seed Oil	1.00
	ABIL WAX 9801	Cetyl Dimethicone	0.50
PHASE 2	WATER	Aqua	at 100.00
	QUAFIN CT	Cetrimonium Chloride	4.00
	MERQUAT550	Polyquaternium-7	0.5
	EDTA TETRA SODICO	Tetra sodium EDTA	0.10

METHOD OF PREPARATION

Weigh the components of phase 1 and heated to 75 ° c.

Weigh the components of phase 2 and heated to 75 ° c.

Add to phase 1 phase 2 stirring.

Homogenize for 1 minute.

Cool, stirring slowly, up to 35 ° c.

The formulation shown is a suggestion for the use of raw materials.
Is not your final formulation. We are not responsible of evidence is not satisfactory.

6. HAIR REMOVAL CREAM

	COMPONENTS	INCI NAME	% W/W
PHASE 1	PROLIX RB	Polyglyceryl-3 Rice Branate	5.50
	NAFOL 18-22	Behenyl Alcohol	2.00
	JOJOBA OIL	Simmondsia Chinensis (Jojoba) Seed Oil	1.50
	ECOROL 68/30 P	Cetearyl Alcohol	1.00
	ACEWAX	Lanolin Alcohol	1.00
	CARBOPOL ULTREZ 21	Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.50
PHASE 2	WATER	Aqua	20.00
	NaOH 30%	Sodium Hydroxide	6.80
	UREA	Urea	2.00
	EDTA TETRA SODICO	Tetra sodium EDTA	0.05
PHASE 3			
	WATER	Aqua	At 100.00
PHASE 4	Ca Thioglycolate 50%	Calcium Thioglycolate	9.50
	NaOH 30%	Sodium Hydroxide	q.b.
PHASE 5			
	PRESERVANT AND PARFUM	Preservant and Parfum	q.b.

METHOD OF PREPARATION

Weigh the components of phase 1 and heated to 65 ° c.

Weigh the components of phase 2 and heated to 65 ° c.

Weigh the phase 3 and heated to 65 ° c

add to the phase 2 phase 1 under agitazione.omogeneizzare for 1 minute.

Add the remaining water and phase 3 phase 4, adding a little at a time, the 30% naoh to ph: 12:00 to 13:00.

Cool, stirring slowly, up to 35 ° c.

Add the components of the phase 4, homogenised for 1 minute

The formulation shown is a suggestion for the use of raw materials.

Is not your final formulation. We are not responsible of evidence is not satisfactory.