

FACE – EYES EMULSIONS

1. FLUID CREAM CLEANSER

	COMPONENTS	INCI NAME	% W/W
PHASE 1	PROLIX RB	Polyglyceryl-3 Rice Branate	4.50
	PANALANE H 300	Hydrogenated polybutene	4.50
	CETIOL CC	Dicaprylyl Carbonate	3.00
	AVOCADO OIL	Persea Gratissima (Avocado) Oil	3.00
	COSMACOL ECI	C12-13 Alkyl Citrate	2.00
	LUBRAJEL NP	Glycerin and Glyceryl Acrylate/Acrylic Acid Copolymer	2.00
	GMS	Glyceryl Stearate	1.00
PHASE 2	WATER	Aqua	at 100.00
	Estr. KERNELS OF PLUM	Plum Seed Extract	20,00
	GLYCERIN	Glycerin	2.00
	PLANTACARE 2000 UP	Decyl Glucoside	0.30
	PCActive	Polyglyceryl-3 PCA	1.50
PHASE 3	TRIPLUS A	Trehalose, Prunus Domestica Fruit Extract, Resveratrol	1.50
	PRESERVANT and PARFUM	Preservant and Parfum	q.b.

METHOD OF PREPARATION:

Weigh the components of phase 1 and heated to 75 ° C.

Weigh the components of phase 2 and heated to 75 ° C.

Add the phase 1 to phase 2 under stirring.

Homogenize for 1 minute.

Cool, stirring slowly, up to 35 ° C.

Add the components of phase 3, homogenised for 1 minute.

The formulation shown is a suggestion for the use of raw materials.

Is not your final formulation. We are not responsible of evidence is not satisfactory.

2. NIGHT FACE CREAM

	COMPONENTS	INCI NAME	% W/W
PHASE 1	PROLIX RB	Polyglyceryl-3 Rice Branate	5,00
	GRAPE SEED OIL	Vitis Vinifera Seed Oil	3,00
	NACOL ETHER 8	Dicaprylyl Ether	2,00
	WHEAT GERM OIL	Triticum vulgare	1,80
	ECOROL 68/30 P	Cetearyl Alcohol	1,50
	CEGESOFT C 24	Ethylhexyl Palmitate	1,30
	CETIOL SN	Cetearyl Isonanoate	1,20
	CETIOL 868	Ethylhexyl Stearate	1,00
	OLIVENE	Olive Oil Unsaponifiables	0,70
PHASE 2	WATER	Aqua	at 100,00
	Estr. KERNELS OF PLUM	Plum seed extract	20,00
	GLYCERIN	Glycerin	2,00
	VEEGUM PLUS	Magnesium aluminium silicate, cellulose gum	2,00
	PCActive	Polyglyceryl-3 PCA	2,00
	TRIPLUS A	Trehalose, Prunus Domestica Fruit Extract, Resveratrol	1,50
PHASE 3	RADICAN SP	Phellinus Linteus Mycelium Extract	2,00
	GATULINE SKIN REPAIR	Alcohol, Water, Onopordum acanthium Flower, Leaf Stem Extract	1,40
	VITAMIN E	Tocopheryl Acetate	1,00
	PRESERVANT and PARFUM	Preservant and Parfum	q.b.

METHOD OF PREPARATION

Weigh the components of phase 1 and heated to 75 ° C.

Weigh the components of phase 2 and heated to 75 ° C.

Add the phase 1 to phase 2 under stirring.

Homogenize for 1 minute. Cool, stirring slowly, up to 35 ° C.

Add the components of phase 3, homogenised for 1 minute.

The formulation shown is a suggestion for the use of raw materials.

Is not your final formulation. We are not responsible of evidence is not satisfactory.

3. MOISTURIZING DAY CREAM ANTI-AGE

	COMPONENTS	INCI NAME	% W/W
PHASE 1	PROLIX RB	Polyglyceryl-3 Rice Branate	5.00
	CETIOL SN	Cetearyl Isononanoate	5.00
	CETIOL OE	Dicaprylyl Ether	3.00
	SQUALANE	Squalane	3.00
	PANTORFINA OLV	Olea Europea Unsaponifiables	2.00
	JOJOBAS OIL	Simmondsia Chinensis Oil	1.50
	PARSOL MCX	Ethylhexyl Methoxycinnamate	2.50
	LANETTE O	Cetearyl Alcohol	0.50
	CUTINA GMS	Glyceryl Stearate	1.00
	SF 18-350	Dimethicone	1.00
	APEROXID TLA	Lecithin, Tocopherol, Ascorbyl Palmitate, Citirc Acid	0.05
PHASE 2	WATER	Aqua	at 100.00
	GLYCERIN	Glycerin	4.00
	EDETA BD	Disodium EDTA	0.15
	CARBOPOL ULTREZ 10	Carbomer	0.10
PHASE 3	SF 1202	Cyclopenta siloxane	3.00
	RED ALGA GEL	Algae Extract	2.50
	ELASTOCELL	Lysine Carboxymethyl Cysteinate	1.50
	PRESERVANT and PARFUM	Preservant and Parfum	q.b.

METHOD OF PREPARATION

Weigh the components of phase 1 and heated to 75 ° C.
 Weigh the components of phase 2 and heated to 75 ° C.
 Add the phase 1 to phase 2 under stirring.
 Homogenize for 1 minute.
 Cool, stirring slowly, up to 35 ° C.
 Add the components of phase 3, homogenised for 1 minute.

The formulation shown is a suggestion for the use of raw materials.
 Is not your final formulation. We are not responsible of evidence is not satisfactory.

4. CLEANSING MILK

	COMPONENTS	INCI NAME	% W/W
PHASE 1	PROLIX RB	Polyglyceryl-3 Rice Branate	4.00
	NEX BASE 4000	Hydrogenated polydecene	6.00
	ALMOND OIL	Prunus Amygdalus Dulcis Oil	3.00
	CETIOL CC	Dicaprylyl Carbonate	1.80
	LINCOL BAS	C12-15 Alkyl Benzoate	1.20
	GMS	Glyceryl Stearate	1.00
	BHT	Bht	0.05
PHASE 2	WATER	Aqua	at 100.00
	GLYCERIN	Glycerin	4.00
	PLANTACARE 2000 UP	Decyl Glucoside	0.15
	EDTA TETRA SODICO	Tetra sodium EDTA	0.10
PHASE 3	PRESERVANT and PARFUM	Preservant and Parfum	q.b.

METHOD OF PREPARATION

Weigh the components of phase 1 and heated to 75 ° C.

Weigh the components of phase 2 and heated to 75 ° C.

Add the phase 1 to phase 2 under stirring.

Homogenize for 1 minute.

Cool, stirring slowly, up to 35 ° C.

Add the components of phase 3, homogenised for 1 minute.

The formulation shown is a suggestion for the use of raw materials.
Is not your final formulation. We are not responsible of evidence is not satisfactory.

5. MOISTURIZING FACE CREAM

	COMPONENTS	INCI NAME	% W/W
PHASE 1	PROLIX RB	Polyglyceryl-3 Rice Branate	4.50
	SEBODERM TCC	Caprylic-Capric Triglyceride	3.00
	RICE BRAN OIL	Oryza Sativa Bran Oil	3.00
	GMS	Glyceryl Stearate	2.50
	ETILESILPALMITATO	Ethylhexyl Palmitate	2.00
	ECOROL 68/30 P	Cetearyl Alcohol	2.00
	PARAFFINUM LIQUIDUM	Paraffinum Liquidum	2.00
	DOW CORNING 250/300	Dimethicone	1.00
	BHT	Bht	0.05
PHASE 2	WATER	Aqua	at 100.00
	PCActive	Polyglyceryl-3 PCA	2.00
	EDTA TETRA SODICO	Tetra sodium EDTA	0.05
PHASE 3	PRESERVANT and PARFUM	Preservant and Parfum	q.b.

METHOD OF PREPARATION

Weigh the components of phase 1 and heated to 75 ° C.
 Weigh the components of phase 2 and heated to 75 ° C.
 Add the phase 1 to phase 2 under stirring.
 Homogenize for 1 minute.
 Cool, stirring slowly, up to 35 ° C.
 Add the components of phase 3, homogenised for 1 minute.

The formulation shown is a suggestion for the use of raw materials.
 Is not your final formulation. We are not responsible of evidence is not satisfactory.

6. ALPHA HYDROXY PEELING

	COMPONENTS	INCI NAME	% W/W
PHASE 1	PROLIX RB	Polyglyceryl-3 Rice Branate	6.00
	EUTANOL G	Octyldodecanol	4.00
	ACEMOLL OE	Dicaprylyl Ether	2.00
	SHEA BUTTER	Butyrospermum Parkii	2.00
	LIPOCIRE A	Glycerides, Hydrogenated Palm Glycerides	1.00
PHASE 2	WATER	Aqua	at 100.00
	PCActive	Polyglyceryl-3 PCA	3.00
	GLYCOLIC ACID	Glycolic acid	0.50
	LACTIC ACID	Lactic acid	0.40
	CITRIC ACID	Citric acid	0.30
PHASE 3	FLORABEADS JOJOBA LAPIS 10/10	Jojoba Esters	0.20
	PRESERVANT AND PARFUM	Preservant and Parfum	q.b.

METHOD OF PREPARATION

Weigh the components of phase 1 and heated to 75 ° C.

Weigh the components of phase 2 and heated to 75 ° C.

Add the phase 1 to phase 2 under stirring.

Homogenize for 1 minute.

Cool, stirring slowly, up to 35 ° C.

Add the components of phase 3, homogenised for 1 minute.

The formulation shown is a suggestion for the use of raw materials.
Is not your final formulation. We are not responsible of evidence is not satisfactory.