

## BODY EMULSIONS

### 1. BODY MILK AFTER SHOWER

	COMPONENTS	INCI NAME	% W/W
PHASE 1	PROLIX RB	Polyglyceryl-3 Rice Branate	4.00
	COSMACOL PLG	Di-C12-13 Alhyl Tartrate, Tri-C12-13 Alkyl Citrate, Silica	3.50
	GMS	Glyceryl Stearate	3.00
	AVOCADO OIL	Persea Gratissima (Avocado) Oil	3.00
	COSMACOL ELI	C12-13 Alkyl Lactate	2.00
	ECOROL 68/30 P	Cetearyl Alcohol	1.00
	CETIOL SN	Cetearyl Isonanoate	1.00
PHASE 2	WATER	Aqua	at 100.00
	Estr. KERNELS OF PLUM	Plum Seed Extract	20.00
	GLYCERIN	Glycerin	2.00
	SORBITOL 70%	Sorbitol	2,00
	VEEGUM PLUS	Magnesium Aluminium Silicate, Cellulose Gum	2.00
	PCActive	Polyglyceryl-3 PCA	1.50
PHASE 3	TRIPLUS A	Trehalose, Prunus Domestica Fruit Extract, Resveratrol	1.00
	BIOMIN AQUACINQUE	Aqua, Saccharomyces/Silicon Ferment, Saccharomyces/Magnesium Ferment, Saccharomyces/Copper Ferment, Saccharomyces/Iron Ferment, Saccharomyces/Zinc Ferment	1.00
	PRESERVANT AND PARFUM	Preservant and Parfum	q.b.

#### METHOD OF PREPARATION

Weigh the components of phase 1 and heated to 75 ° C.

Weigh the components of phase 2 and heated to 75 ° C.

Add the phase 1 to phase 2 under stirring.

Homogenize for 1 minute.

Cool, stirring slowly, up to 35 ° C.

Add the components of phase 3, homogenised for 1 minute.

La formulazione riportata è un suggerimento per l'utilizzo delle materie prime.

Non rappresenta la vostra formulazione finale. Non siamo responsabili di prove non soddisfacenti.

## 2. MOISTURIZING BODY CREAM FOR DRY SKIN

	COMPONENTS	INCI NAME	% W/W
PHASE 1	PROLIX RO	Rice Bran Oil Polyglyceryl-3 Esters	5.00
	NEXABASE 4000	Hydrogenated Polydecene	5.00
	LINCOL BAS	C12-15 Alkyl Benzoate	5.00
	COSMACOL PLG	Di-C12-13 Alhyl Tartrate, Tri-C12-13 Alkyl Citrate, Silica	4.00
	JOJOBA OIL	Simmondsia Chinensis (Jojoba) Seed Oil	3.00
	CORN OIL	Zea Mays Oil	2.00
	ABIL WAX 9801	Cetyl Dimethicone	1.00
	VITAMIN E	Tocopheryl Acetate	0.50
	PRESERVANT AND PARFUM	Preservant and Parfum	q.b.
PHASE 2	WATER	Aqua	at 100.00
	PCActive	Polyglyceryl-3 PCA	2.00
	LUBRAJEL DV	Glycerin , Glyceryl Acrylate/Acrylic Acid Copolymer, Propylene Glycol.	1.00
	MgSO <sub>4</sub>	Magnesium Sulphate	0.50

### METHOD OF PREPARATION

Weigh the components of phase 1 and heated to 35 ° c.  
 Weigh the components of phase 2 and heated to 35 ° c.  
 Add to phase 2 phase 1 bit at a time under slow agitation.  
 Finished adding all phase 2 homogenised for 1 minute.

La formulazione riportata è un suggerimento per l'utilizzo delle materie prime.  
 Non rappresenta la vostra formulazione finale. Non siamo responsabili di prove non soddisfacenti.

### 3. BABY CREAM

	COMPONENTS	INCI NAME	% W/W
PHASE 1	PROLIX RO	Rice Bran Oil Polyglyceryl-3 Esters	6.00
	NEXABASE 4000	Hydrogenated Polydecene	5.00
	SHEA BUTTER	Butyrospermum Parkii	3.00
	COSMACOL PLG	Di-C12-13 Alhyl Tartrate, Tri-C12-13 Alkyl Citrate, Silica	3.00
	SEBODERM TCC	Caprylic-Capric Triglyceride	3.00
	JOJOBA OIL	Simmondsia Chinensis (Jojoba) Seed Oil	3.00
	RADIAMULS ACETEM 2134	Acetic acid Esters of Mono-and Diglycerides	3.00
	BEESWAX	Cera Alba	1.50
	ISOPROPIL MIRISTATO	Isopropyl Myristate	1.50
	BHT	Bht	0.05
PHASE 2	ZnO	Zinc Oxide	4.00
PHASE 3	WATER	Aqua	at 100.00
	GLYCERIN	Glycerin	3.00
	MgSO <sub>4</sub>	Magnesium Sulphate	0.50
	EDTA TETRA SODICO	Tetra sodium EDTA	0.10
PHASE 4	PRESERVANT AND PARFUM	Preservant and Parfum	q.b.

#### METHOD OF PREPARATION

Weigh the components of phase 1 and heated to 75 ° c.  
Weigh the components of phase 3 and heated to 75 ° c.  
Add to phase 2 phase 1 and stir to mix the powder into the phase 1.  
Add to phase 3 phase 1 bit at a time under slow agitation.  
Homogenized for 1 minute  
cool, stirring slowly, up to 35 ° c.  
Add the components of the phase 4, homogenised for 1 minute.

La formulazione riportata è un suggerimento per l'utilizzo delle materie prime.  
Non rappresenta la vostra formulazione finale. Non siamo responsabili di prove non soddisfacenti.